# **DANGER**KEEP OUT OF REACH OF CHILDREN



A miticide for the control of European red mite, two spotted mite and citrus red mite.

Omite 30W is compatible with integrated mite control (IMC) programmes involving *T. pyri, T. occidentalis and A. fallacis* 

Active ingredient:

310g/kg propargite in the form of a wettable powder



NET

**KILOGRAM** 

Distributed by:

**CONTENTS: Etec Crop Solutions, an** 

**Arysta LifeScience Group company** 

PO Box 51584, Pakuranga Auckland, New Zealand

0800 100 325

WWW.ARYSTALIFESCIENCE.NZ



#### PLEASE READ THE LABEL COMPLETELY BEFORE USE

This product MUST NOT be used for any purpose or in any manner contrary to the controls and conditions of this registration.

This product MUST be under the control of an Approved Handler.









HSNO CLASSIFICATION: 6.3A, 6.7B, 6.9B, 8.3A, 9.1A, 9.3C, 9.4C

May cause skin irritation.

Limited evidence of a carcinogenic effect in animal studies

May cause kidney damage from repeated oral exposure at high doses.

May cause eye damage.

Very toxic to fish with long lasting effects. Avoid contamination of any water supply with product or empty container.

Harmful to terrestrial vertebrates.

Harmful to terrestrial invertebrates.

## HANDLING PRECAUTIONS

#### STORAGE

Store in original container tightly closed and in a locked, dry, cool area, away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.

Stores containing 100kg of Omite 30W require signage and more than 100kg require emergency response plans.

#### PERSONAL PROTECTION

Avoid contact with skin and eyes and inhalation of spray mist.

When handling wear eye protection, appropriate respiratory protection,

waterproof gloves, overalls and boots. Do not eat, drink or smoke while using.

Remove protective clothing and wash hands and face thoroughly before meals and after work.

#### **EQUIPMENT**

Apply using well maintained and accurately calibrated equipment.

## DISPOSAL

Triple rinse container and add residue to spray tank. Submit clean empty container for recycling through Agrecovery. If this is not possible bury in landfill. Dispose of product only by using according to the label or at an appropriate landfill.

FIRST AID: If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If in eyes, wash out immediately with water.

SPILLAGE: Wear appropriate protective clothing and prevent material from entering waterways. Sweep up solids without creating dust. Wash area with water and absorb with inert material. Dispose of waste safely in a suitable landfill.

TRANSPORT: Do not carry Omite 30W on a passenger service vehicle.

**RECORD KEEPING:** Records of use as described in NZS 8409 Management of Agrichemicals must be kept if 3kg or more of Omite 30W is applied within 24 hours.

**COMPATIBILITY:** Compatible with a wide range of insecticides and fungicides. Do not mix with oils, or alkaline materials such as Bordeaux mixture or lime sulphur.

## DIRECTIONS FOR USE:

Omite 30W is effective throughout the season but has the added advantage of enhanced vapour activity during warm weather. It controls active mite stages but does not control eggs. A spring application should be timed to coincide with the hatching of winter eggs, or first generation summer eggs. In the summer when populations are heavy, and all life stages are present, make two applications 10-14 days apart. Mites are normally controlled in 5 days but under cool conditions 10-20 days may be required for effective control. Concentrate spraying is not recommended. Apply as a dilute spray ensuring complete tree coverage and thorough wetting of both upper and lower sides of the leaves.

| Crop  | Pest  | Rate  | Notes  |  |  |
|---|---|---|--|--|--|
| Apples  | European red mite<br>Two spotted mite                                     | 200g/100<br>litres<br>water   | Do not spray in combination with diazinon if temperatures exceed 35°C as leaf and fruit spotting may occur. Do not treat pears or nashi  |  |  |
| Stonefruit<br>(apricots,<br>nectarines,<br>peaches,<br>plums) | European red mite<br>Two spotted mite<br>Tydeid mite<br>Peach silver mite | 200g/100<br>litres<br>water   |  |  |  |
| Berryfruit  | Two spotted mite  | 200g/100<br>litres<br>water   | Strawberries: Do not apply when fruit is present as fruit damage may occur. Do not combine with other chemicals, wetting agents or nutrients or spray if daily temperatures exceed 26°C, as foliage damage may occur. A water rate of at least 1000 litres/ha will reduce the risk of foliage damage.  |  |  |
| Grapes  | European red mite<br>Two spotted mite                                     | 200g/100<br>litres<br>water<br>(6kg/ha)                                     | Treat before populations become heavy. Use equipment designed to penetrate the vines.  |  |  |
| Citrus  | Citrus red mite   | 200g/100<br>litres<br>water   | Do not apply within 6 weeks of any oil spray. Omite 30W may cause some leaf burn on new growth of lemons.  |  |  |
| Hops  | Two spotted mite  | 200g/100<br>litres in<br>2000<br>litres<br>water per<br>hectare<br>(4kg/ha) | For maximum early season control apply Omite 30W pre-burr formation in tank mix with Apollo®50SC. If mites become a problem later in the season a second application of Omite 30W may be applied. Alternatively, apply two Omite 30W applications 14 days apart as required. Complete coverage of vines, especially the tops, is essential. Do not apply when air temperatures exceed 30°C. Do not apply to vines under moisture stress. Do not apply with surfactants, insecticides or foliar fertilisers unless such mixtures have been proven safe to the crop. |  |  |

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

It is an offence to use this product on animals.

## WITHHOLDING PERIOD:

Apples – 14 days, Citrus – 2 days, Grapes – 14 days, Stonefruit – 2 days, Berryfruit – 3 days, Hops – 14 days.

Registered pursuant to the ACVM Act 1997, No. P1645.

See www.foodsafetv.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR000770.

See www.epa.govt.nz for approval controls.

- ® Omite is a registered trademark of MacDermid Agricultural Solutions Inc.
- $\ensuremath{\$}$  Apollo is a registered trademark of Irvita Plant Protection N.V., member of the Makhteshim Agan Group.

#### **CONDITIONS OF SALE:**

Please read these conditions of supply before buying and using. If these conditions are unacceptable, return at once unopened.

## **EXCLUSION OF LIABILITY:**

To the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, Etec Crop Solutions Ltd as distributor, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

| BATCH NO |  |
|----------|--|
| DOM      |  |

## AR192/1KG

| Proper Shipping Name  | Hazard<br>Class | UN No. | Hazchem | Packing<br>Group |
|---|-----------------|--------|---------|------------------|
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (propargite 30%) | 9               | 3077   | 2X      | III              |